



Township / Range Lines:  
 South line of Township 17N in Ranges 1E to 3E  
 East line of Range 1W in Townships 15N & 16N

Township / Range Lines:  
 South line of Township 17N in Ranges 1E to 3E  
 East line of Range 1W in Townships 15N & 16N

Township / Range Lines:  
 South line of Township 17N in Ranges 1E to 3E  
 East line of Range 1W in Townships 15N & 16N



Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 7/1819

6710 Birch 12 bu  
8000 Let part corner of S138248  
150 ft R 1 M from which Birch  
18 bu S 27 N 104.00 13 bu S  
67 2 22 bu S over land  
and timber Birch Oak  
etc

North between R 1 M & 1 E S 13818  
1485 Hickory 18 bu  
1510 Brook 10 bu S  
4000 Let part from which a sugar  
12 bu S 80 24.8 20 14 bu S 41 N 107  
5310 Birch 20 bu  
8000 Let part corner of S12473 over  
R 1 M from which a Birch 12 bu  
S 16 2 15.8 Sugar 10 bu S 13835 bu  
over good farming land sugar  
Birch Oak & under pines

North between R 1 M & 1 E S 13802  
1530 Birch 14 bu  
2074 Brook 6 bu S  
4000 Let part from which a Birch 12  
S 26 2 9 4 Oak 12. S 29 2 10 bu S  
5784 Hickory 12 bu  
8000 Let part corner of S1912 over  
R 1 M from which a Hickory  
18 bu S 2 27.8 poplar 30 bu  
S 86 N 14 bu S  
over level land timber  
Oak Birch etc

<sup>2</sup>  
North between R1M & 18<sup>th</sup> St  
Section 196

1268 Sugar 12 lbs  
40 00 Lk 1/2 spot from which a  
Sugar 13 lbs 25 lbs 228 do 20  
2612 9 cents

50.60 Beech 14 lbs  
80 00 Lk 1/2 spot corner of 150/16 St  
R1M 1 2 \$1431.36 from  
which a Beech 12 lbs 52  
W35 & Beech 18 lbs 49 &  
36 links  
Over level land Timber  
Oak Beech & under Spruce

North between R1M & 18<sup>th</sup> St  
Section 31836

6.00 Brook 10 lbs &  
11 80 Sugar 14 lbs  
40 00 Lk 1/2 spot from which a  
Beech 10 lbs 29 & 60 Ash  
15 lbs 23 & 32 cents

49.20 Sugar 18 lbs  
68.74 Brook 6 lbs &  
80 00 Lk 1/2 spot corner of 125 & 36 St  
16 St R1M from which Beech  
11 lbs 11 & 260 do 12 2 63 lbs  
25 lbs Over level land  
Timber Beech Ash & 40

North between R1M & 18<sup>th</sup> St  
Section 25830

22.50 Hickory 20 lbs  
40 00 Lk 1/2 spot from which a

5300 Beech 14 hds 31 2 186 Ash  
 14 hds 48 2 22 links  
 8000 Beech 14 hds  
 16000 Report comes of S 24 25 J  
 16000 Beech 14 hds from which Beech  
 19 hds 24 2 24 links  
 83 W 33 links 3 over level  
 Land Timber Beech Sugar  
 Oak 80 under spice

North Freeman R 1 W 1 2 161  
 Section 19 24

1875 W Oak 20 hds  
 4000 Report comes from which  
 Beech 14 hds 20 W 24 2 20  
 12 2 36 2 22 links  
 5088 Sugar 14 hds  
 8000 Report comes of S 13 24  
 21600 Beech 14 hds from which  
 Oak 18 hds S 9 24 2 4 hds  
 12 2 13 2 24 links  
 3 over level land  
 Timber Beech Oak 80

North Freeman R 1 W 4 1 2 S 13 18  
 21600

3480 Ly camoxe 30 hds  
 4000 Report comes from which  
 Sugar 9 hds S 21 2 8 J Beech  
 12 hds 24 2 28 links  
 5500 W Oak 30 hds

8000 Ltporo comms 124/3 1160 1/2  
4 from which in Ash 18 lbs 442  
21 lbs 4 Beech 10 lbs 85 1/2 13 lbs  
over level land Timber Oak  
Ash Sugar &c

North between 11M 4 18 1160 1/2 74 1/2  
3250 Sugar 12 lbs

4000 Ltporo from which in  
Oak 30 lbs 220 1/2 18 1/2  
4 Beech 12 lbs 70 1/2 8 1/2

6440 Beech 12 lbs

8000 Ltporo comms of 114 1/2 11M 2  
16 lbs from which in Ash 9 lbs  
25 1/2 13 lbs 4 Beech 10 lbs in  
48 1/2 11 lbs over level land  
Timber Oak Ash Beech &c

North between 11M 4 18 1160 1/2  
1160 1/2

2282 Beech 12 lbs

4000 Ltporo from which in  
Oak 40 lbs 58 1/2 11 lbs 14 poplar  
30 1/2 27 1/2 19 1/2

5324 Oak 3 lbs

8000 Ltporo comms of 1160 1/2 11M 2  
11M 2 1/2 Section 1631.36 from  
which 2 Beech 10 lbs 18 1/2 28 1/2  
4 Ash 12 lbs 27 1/2 50 1/2  
over level land Timber  
Beech Oak Ash &c

Euro Between 16817 & 18<sup>5</sup>  
Sections 6831 on the line  
of corrections

1960 W Oak 30 lbs

4000 Lc 1/2 Spoto from which  
Sugar 14 lbs 58 M & 25 lbs  
10 lbs at 752 25 lbs

6378 Sugar 10 lbs

8000 Lc Spoto come of 31832

71702 R. 1 & 2 from which on

ash 10 lbs at 72 M 35 lbs

& Birch 13 M 502 5 lbs

Over level land Timber  
Oak ash Birch &c

Euro Between 16817 & 18<sup>5</sup> 32  
on the line corrections

1680 Oak 24 lbs

4000 Lc 1/2 Spoto from which  
Sugar 9 lbs at 58 M 20 lbs  
& Hickory 12 M 632 22

6805 Hickory 12 lbs

8000 Lc Spoto come of 32833 717

at R 1 & 2 from which on  
wood 7 M at 57 M 20 & Oak 12  
352 15 lbs Timber Over level

land Timber Oak ash &c  
under fire

Euro Between 16817 & 18<sup>5</sup> 32  
Sections 4833

950 Birch 50 lbs wood S.

2785 Elm 20 lbs

4000 Lc 1/2 Section from

6 from which a Beech 14  
or 75 ft high & 20 12 ft or 78  
220 links

5824 W Oak 24 ft

80 00 ditto corner of 330 34

217 ft R 1 E from which a

Beech 9 ft or 42 28 ft

4 W Oak 12 ft or 76 210 ft

over level land & then

Oak Elm Ash &c

East Bottom of 160 17 R 1 E  
Sections 38 34

1475 Oak 30 ft

40 00 ditto from which a  
Beech 20 ft or 85 ft or 44 ft  
400 14 ft or 88 25 links

5789 Beech 12 ft

7950 Beech 50 links wood

80 00 ditto corner of 340 35

170 ft R 1 E from which a

Sycamore 20 ft or 62 246

4 Willow 18 ft or 25 ft or 60 ft

over level land & then

Beech Oak & under pine

East Bottom of 160 17 R 1 E  
Sections 24 35

2165 W Oak 24 ft

40 00 ditto from which a  
Oak 24 ft or 53 ft or 27 ft  
Poplar 30 ft or 76 13 links

July 5  
1819

5300 Birch 12 ft  
 8000 Lip 10 corner S 35836  
 T 12 R 1 E from which a  
 Birch 12 ft S 71 N 24 W  
 9009 ft S 75 E 14 links  
 From level creek land  
 Timber Elm Oak 180

Last Between S 16817 R 12  
 Section 1936

2302 Birch 12 ft  
 4000 Lip 10 from which a  
 L 12 R 8 W 1249 N 40 30 ft  
 S 58 E 36 links

6500 Oak 12 36 ft  
 8000 Lip 10 corner R 172 E 1000  
 Section 318 36 from which  
 a ~~Between~~ Birch 10 ft  
 1622 ft 24 00 ft S 47 E

From level creek land  
 Timber Oak Birch Elm

Last Between S 17816 R 12  
 Section 3196 on line corner

2200 Birch 30 ft S  
 2520 L 12 corner 12 ft  
 4000 Lip 10 from which  
 H 10 R 10 W 184 N 32 W  
 Oak 8 ft S 32 W 8 links

4985 Paper 24 lbs  
8000 Sugar 18 lbs for corner of  
S 319 32 172 R 29 from  
which a Sugar 10 lbs 285 12  
25 lbs 10 Bush 10 lbs 762  
20 limbs 3 over level and  
Timber Bush Oak 10  
under piece

East Victoria T 16 41 74 R 22  
S 32

1735 No Oak 18 lbs

6000 Lr 1/2 Short from a branch  
Sugar 14 lbs 837 R 55 & do  
10 lbs 846 26 limbs

8128 Ash 20 lbs

8000 Lr for corner of S 329 331  
172 R 29 from a branch  
25 lbs 858 R 55 1/2 Sugar 20  
10 lbs 846 26 limbs

3 over level and Timber  
Bush Sugar Ash 10 in 1/2

East Victoria T 16 41 74 R 22  
4033

2616 Sugar 20 lbs

6000 Lr 1/2 Short from a branch  
Bush 10 lbs 858 R 55 1/2  
840 15 lbs 869 R 53 1/2

5100 Bush 100 lbs

7059 *Sycamore* 40 ft  
 8000 *Aspen* 33 ft 36 ft  
 or 2 ft from which  
 16 ft 2 ft 3 ft 4 ft 5 ft 6 ft  
 24 ft 25 ft 10 ft  
 over level land  
 Walnut bug as to good soil

East Between 16 ft 17 ft 2 ft  
 Licens 28 34

1850 *Buck* 12 ft  
 4000 *Aspen* 37 ft 26 ft  
*Buck* 12 ft 12 ft 3 ft 26 ft  
*Oak* 40 ft 18 ft 32 ft

5431 *W Oak* 30 ft  
 8000 *Aspen* 34 ft  
 35 ft 17 ft 2 ft 2 ft 3 ft 4 ft  
 12 ft 17 ft 2 ft 2 ft 3 ft 4 ft  
 ore 30 ft 18 ft 28 ft  
 over level land  
 Oak Buck bug as to

East Between 16 ft 17 ft 2 ft  
 Licens 28 35

2060 *W Oak* 60 ft  
 4000 *Aspen* 37 ft 26 ft  
*Buck* 12 ft 12 ft 3 ft 26 ft  
*Oak* 40 ft 18 ft 32 ft  
 6470 *Walnut* 40 ft

8000 Sel port corner of section 35  
10 436 17 N R 2 E from which  
a Sugar 12 h 1 S 68 N 32 W  
400 14 h 1 S 38 E 18 h 1 S  
Over good farming land  
Pine Oak Sugar Ash  
Union Spruce

East Belvidere T 16 41 7 N R 2 E  
Section 14 36

3235 Beech 4 h 1 S  
4000 Sel 1/2 port from which a  
beech 10 h 1 S 74 N 8 E 400 20  
20 h 1 S 10 N 4 h 1 S  
5270 Walnut 60 h 1 S  
5950 Brook 10 h 1 S  
7024 Creek 30 h 1 S

8000 Sel port corner of R 28 3 E  
T 16 41 7 N R 31 E 31 8 36  
from which an As 18 h 1 S  
N 74 E 9 Sugar 18 h 1 S 84 N  
10 h 1 S Over good farming  
land Pine Sugar Ash  
Union Spruce

East Belvidere T 16 41 7 N R 3 E  
Section 14 31

4000 Sel 1/2 port from which an  
poplar 10 h 1 S 40 N 8 E 400  
9 h 1 S 10 E 7 h 1 S

64 24 Buckeye 9 hrs  
80 00 Let post 0 corner of S. 314 32  
L 17 N R 3 E from which  
an Oak 30 hrs 25 min 17 lbs  
4 Buck 9 hrs 52 E 2 lbs  
over good farming land  
Timber Oak Oak Buck  
small Spruce

East Between C 16617 N R 3 E  
Sections 48 32 on the corner of  
Connections

14 22 Buck 12 hrs  
40 00 Let 1/2 S post 0 from which a  
Maple 18 hrs 27 min 35  
4 Elm 20 hrs 28 32 20 lbs

51 95 Beech 14 hrs  
80 00 Let post 0 corner of S 324 33  
L 17 N R 3 E from which a  
Syc 13 hrs 56 min 6 lbs  
4 Do 13 hrs 18 52 29 lbs  
over level land with  
Timber Buck Oak Syc

East Between C 16617 N R 3 E  
Sections 48 33

16 11 Buck 12 hrs  
40 00 Let 1/2 Section post 0 from  
which Hickory 7 hrs 25 min  
27 lbs 18 Beech 12 hrs  
41 25 lbs

5016 No Oak 20 lbs  
5000 Lipwood cones of 133032  
First Dr 32 1/2 ft in water  
C. Rich 26 1/2 ft in water  
40 lb 1/2 40 12 1/2 154 2  
4 lb 1/2 20 1/2 154 2  
Lind 1/2 20 1/2 154 2  
Gund 1/2 20 1/2 154 2  
Gund 1/2 20 1/2 154 2

East Between 10<sup>th</sup> & 11<sup>th</sup> St  
 Basin 3936  
 Creek 46 ft. S.W.  
 4000 Lickay Short from  
 Buckeye 8 ft / 10 22  
 Sugar 14 ft / 52 30  
 3739 Depth 24 ft  
 8000 Lickay 8341 33  
 11 ft 32 Bucke 8  
 16 ft 36 ft 8 00 / 52  
 20 ft 20 ft 20 ft  
 Case

Lat. Bernadillo 16 47 N  
R 32 S 24 31